

# King of Red Lions Sail



ፍርድን ዘዛ ትጋሃ ቸርዘንሽ ቸጠርቸ

Below are the two halves of the sail to print on a standard letter sized paper and cut out. On the following pages are instructions to assemble the sail using an outline guide showing where to apply glue or, if crafting from fabric, where to place stitches.



Use the guide on the left for a paper sail and the guide on the right for a fabric sail.

The shaded area in the left guide represents the areas for glue to be applied while the white strip represents where the sail support part slides in between the two layers and should not be glued. The dotted lines in the right guide represent the location for stitches in a fabric sail, again with the outline leaving space inside for the support.




In order to fasten the sail to the mast, you'll need thread or string. To mimic the in-game look, which shows no rope, use clear or invisible string. For a more realistic interpretation, use white thread to match the sail support color and place it at the corners shown in the diagram.

For a paper sail, cut three lengths of thread of about six inches long and loop them in the middle. Place one of these at each of the three corners with the two strands right next to each other where they meet the corner while leaving a wider loop inside of the sail. It helps to cross the strands over each other where they meet the corner. Place all three onto the first layer of the sail after applying glue to the inside of it, just before adhering the two layers to each other - have your three loops of thread ready before you begin to glue. Leave a length of about a half inch within the edges of the sail to ensure they'll stay in place when tied to the various locations on the mast. Be sure to use an initial thread length that is much longer than you think you'll need so there's plenty to work with when it comes time to tie them to the mast. You can always cut them down later!

For a fabric sail, you'll feed the thread through stitches along the outside of the sail at each corner after the sail itself is complete. The same principle applies, with a loop and double thread.

On the last page is a diagram showing how the finished sail is tethered to the mast.



The bottom two locations are pretty self-explanatory since they are tied to the cross bar. The top, however, has no definitive place to which to fasten so you'll need to tie the ends together at the right length to have the top corner of the sail just meeting the top of the mast as shown and you'll glue the knot formed by the two ends into the recess on the top face of the mast.

Once you've finished attaching the sail to the mast, whether paper or fabric, there will be a bit of extra give on both the top and bottom sections (above the sail support and between the bottom of the sail support and the top of the cross bar) that you can push to either side to simulate wind filling the sail!

---

I hope you found this template and guide helpful and have created a great sail for your King of Red Lions!

If you're experiencing some difficulties during the process, please don't hesitate to send an email with questions to:

**Levi Buffum (aka Doctor Octoroc)**  
**doc@doctoroctoroc.com**

